


Wall Mounted Outdoor Airer

30817452

Assembly & Care Instructions



Getting Started.




1. Check you have received all parts listed on the component and hardware pages and the correct quantity of each. Beware that sometimes parts are packaged within the product so not immediately visible after opening. Please check the assembly section for more details. If anything is missing, stop assembling the product and contact our customer service team.
2. Check all parts are intact and undamaged. Any issues, stop assembling the product and contact our customer service team.

Important.






Dear Customer

- **IMPORTANT** - The first step you need to take is to ensure your safety! Please take the time to read and understand these instructions before assembling the product.
- Please keep these instructions for future reference.
- This item is intended for indoor and outdoor use.
- Assembly to be carried out by a competent adult only.
- During assembly children should be kept away from the product due to possible risk of injury. The product may contain small parts that could also cause choking if swallowed.
- **Warning** - Wall plugs only suitable for masonry walls, do not use on other walls.
- Maxing loading capacity is 20kg (Place evenly on each side).
- This is not a children's toy. Do not allow children to play with this product.

Parts supplied.

Ref	Part	Visual	Qty
1	Main body		1
2	Screws (5x44mm, required 4pcs which are not included)		0
3	Wall plugs (required 4pcs which are not included)		0

Tools required which are not included







Cross head screwdriver	Spirit level	Tape measure	Pencil	Drill
				

If you are unsure of the below guidance, consult a qualified tradesperson for advice or help.

- Wall fixings are not provided with this product as different wall types require different screws and wall plugs. See table below as a guide only.
- Always use a wall plug, as screws alone will not be secure into walls.
- As a general rule, always use a larger screw and wall plug if you are not sure.
- When drilling into walls, always check there are no hidden wires or pipes.
- Make sure that the screws and wall plugs are suitable for supporting the weight of the product.
- Ensure you use the recommended drill bit to match the required hole size for the wall plug. Wall plugs must fit tightly into the drilled hole.
- Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- Take extra care when drilling high walls.
- Ensure the plug is fitted below the ceramic tile to avoid splitting or cracking.

Care and Maintenance.

- Regularly check the fixings to ensure the wall plug or screws have not become loose. Tighten or stop using the product if they have.
- Safety: Always check the fitting and location to ensure your safety in and around the home.


Wall plug types		
You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.		
General Purpose	Plasterboard	Hammer
		
For light loads only. Options available for most wall types.	For light loads only. Attach into plasterboard.	For light loads only. For solid walls covered with plasterboard. Allows the fixing to be attached into brick behind.
Cavity - Light load	Cavity - Heavy load	Shield Anchor
		
Light load cavity wall plug for use into plasterboard or hollow wooden doors.	Heavy load cavity wall plug for use into plasterboard or hollow wooden doors.	For heavier loads into masonry, brickwork or concrete.

Read all instructions before using this airer.



Step 1: Carefully remove all packaging.

Step 2: Ensure the wall and fixings are suitable for the loading max 20kgs. When drilling into walls, always check there are no hidden wires or pipes.

Step 3: Hold the bracket against the wall, ensuring it is level. Mark the wall through the 4 screw holes.




Step 4: Before mounting the bracket, unfold the airer and insert the tube to the slot.



Step 5: Drill 4 holes in wall as marked. Insert wall plugs into the drilled holes.

Step 6: Fix the bracket to the wall using screws to suit your wall type, ensuring the screw head is larger than the bracket hole.

Step 7: Adjust the tightness of the airer lines and double check the stability before use.



Care Instructions.

Wipe clean with a damp cloth.

dunelm.com
Manufactured in China for
Dunelm (Soft Furnishings) Ltd. LE7 1AD
& Dunelm (Soft Furnishings)
Holdings Ltd. Dublin D12 WR25

