ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG

ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T


Assembly Instructions

Product size: DIA120*H75 CM DIA150*H75 CM

This product is packed in Two Boxes.

Table Top: Box 1 of 2;

Legs & Table Top Cover: Box 2 of 2



Reminder:

Table Top is very Heavy!

Place the Table Top Box at the location for use.

With the help of other people, place Table Top upside down on a flat, non-abrasive surface to avoid scratching or damaging the table surface or rim.

Furniture should be covered/stored whilst not in use to prolong its longevity.

(It should also be covered in adverse weather.)

This product is for domestic use only.

IMPORTANT, PLEASE RETAIN FOR FUTURE REFERENCE READ CAREFULLY

ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG

ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T

Before you start



Warnings

IMPORTANT, RETAIN FOR FUTURE REFERENCE READ CAREFULLY

See enclosed instructions for assembly, safety and care information. Failure to follow the warnings could result in serious injury. Handle heavy parts with care.

Ensure that this product is fully assembled as illustrated before use. This product should only be used on firm, level ground.

The product contains small parts which could pose a risk to young children. Keep small parts out of reach of children.

Do not stand or climb onto this product.

This product is intended for **domestic use** only

This product is intended for **domestic use** only.

Ensure the product is always placed on level ground. Furniture can be dangerous if incorrectly used. No liability will be accepted for damage or injury caused by incorrect use of this product.

Take care when opening and folding furniture. Keep your hands away from moving parts in order to prevent trapping your fingers. Children should not open or close the furniture.



Dos

When you are ready to start, make sure that you have the right tools, plenty of space and a clean, dry area for assembly.

Unwrap all packaging materials and place the components on suitable surface to prevent scratching your product.

Check the pack and make sure you have all of the parts listed. In the event of problems or missing parts, please contact the seller.

Check all screws and bolts are tightened and inspect regularly.

During severe weather conditions, including high winds, rain, hail, thunderstorms, extreme heat and cold temperatures, the product should be stored inside in a cool, dry place.

To best preserve this product, please use a protective cover when your furniture is not in use. We would also recommend using a gazebo or parasol over your furniture during the summer period and prolonged sunny spells. This will help prevent harmful UV rays from damaging and discolouring the material

Timber is a natural product and contains coloured resins which may initially bleed out of the timber when its gets wet. Therefore we recommend that care is taken to protect patios and decking from possible staining where the product comes into contact with the ground. The furniture will stabilise in its environment after the first few times it gets wet.

Wood is a natural material whose appearance will deteriorate when left outside. A surface coating is vital in protecting it from premature darkening, or splitting, when exposed to the weather. The finish should be regularly maintained to ensure that the wood is protected from moisture and the furniture continues to look at its best.

This product has been treated with furniture oil during manufacture and the wood requires further treatment before being left out side. When applying furniture oil particular care should be given to the end grain and any joints or crevices, please note that is the products needs to be put together the first coat should be applied to all wood surfaces before assembly.

Should you choose not to treat your furniture, then it will turn a greyish colour and develop cracks. Light sanding can restore the original colour after which furniture oil can be regularly applied in accordance with the instructions above.

A liberal coating of furniture oil should be given to the furniture before it is laid up, and again when it is removed from storage.

Clean your product with a sponge and warm soapy water then wipe with a

clean, dry cloth.

Ensure that the product is clean and dry before storage.

Where instructions as to the; storage, commissioning, installation, use and maintenance of the goods or (if there is none) good trade practice are not followed and a defect arises this will void the 12 month manufacturer's quarantee on the product.

X Don'ts

Do not use scourers, abrasives, washing powders, chemical cleaners or any other substances containing abrasives since these substances can damage the product.

To preserve the product do not place greasy / oily items directly onto the wooden surface.

Do not place very hot or very cold items on the wooden surface unless adequately thick place-mats are used to prevent such items from coming into contact with the wood.

Do not strike the product with hard or pointed items.

Do not sit or lean on the arms of this product.

Do not use power tools to construct this product.

Do not tighten screws until fully assembled.

Do not overtighten screws or bolts.

Do not use this product if parts are missing, damaged or worn.

Do not place furniture near the outdoor exhaust vents

Do not write on furniture without a padded barrier to protect the surface.

Do not stand or climb onto the product and do not use it as a ladder, as this could lead to it unbalancing and overturning.

Never tilt the product during use.

Never drag furniture when moving it, always lift it.

The One-Seater product is intended for max use 120 kgs, 2-Seaer product is intended for max use 200 kgs, 3-Seater product is intended for max use 250 kgs, do not exceed this weight.

Number of people required for assembly

Two people



Time to assemble



30 minutes

Tools required



Tips

It is best not to fully tighten the screws and bolts until they are all correctly located.
Only carefully tighten them when you are satisfied with the alignment of all components.
Be careful not to overtighten.

ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG

ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T

Components, fixtures & fittings (not actual size)

Parts List								
Part No.	Diagram	Qty.	Part No.	Diagram	Qty.			
А	Table Leg	2 PCS	В	Table Leg	1 PC			
С	Upper Connecting Bar	1 PC	D	Lower Connecting Bar	1 PC			
Е	Table Top	1 PC (Box 1 of 2)	AK	Allen Key	1 PC			
ST50	Self-Taping Screw M6*50mm	8 PCS	N45	Bolt M8*45mm	4 PCS			
N140	⊚ Bolt M8*140mm	2 PCS	N180	⊚ Bolt M8*180mm	2 PCS			
FW (Note: Th	Flat Washer	4 PCS	H	Table Top Cover r parts are in Box 2 c	1 PC (Box 2 of 2)			

© Royalcraft Limited

ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG


ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T

Step by step assembly instructions

Step One

With the help of another person, attach the Table Legs (A) to the Table Leg (B) using Bolts (N140) and Bolts (N180). Please note the Different Location of Bolts (N140& N180). Tighten all Bolts with Allen Key (AK).


Do Not Over Tighten.



Step Two

Attach the Upper Connecting Bar (C) and Lower Connecting Bar (D) to the above partly-assembled components (Legs) using Self-Taping Screws (ST50).

Tighten all Screws with Allen Key (AK). Do Not Over Tighten.



ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG

ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T

Step Three


Attach the above Assembled Components (Let's call Table Base) to the Table Top (E) using Bolts (N45) and Flat Washers (FW).

Tighten all Bolts with Allen Key (AK). Do Not Over Tighten.

Reminder:

Table Top is very Heavy!
Place the Table Top Box at
the location for use.

With the help of other people, place Table Top upside down on a flat, non-abrasive surface to avoid scratching or damaging the table surface or rim.




Step Four

With the help of another person or more people, stand the table and level it with Adjustable Feet Screws.

Your Table is now ready for use.

Always use Table Top Cover (H) to protect the Table Top when the Table is not in use.



PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE



ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG

ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T

CARE INSTRUCTIONS (CONCRETE TABLE TOP)

For Daily Care:

Clean the concrete surfaces with a soft damp cloth and mild detergent or anti-bacterial household cleaning wipes.

Do not use any harsh cleaners or abrasives. Avoid any spillages & wipe off the surface immediately, do not allow to settle. Remove any excess rain water that settled on the Table Top.

During Autumn Time:

In Autumn when leaves start falling from trees, special care should be used to remove leaves to avoid risk of leaf sap, which may stain your Table top.

Handling Product:

Please follow the assembly instructions carefully. Please take special care to avoid risk of damage to components during assembly.

When moving your items, please lift the furniture off the floor safely to a new location.

Do not drag items on the floor or hard surfaces.

Do not stand on the furniture for your own safety & risk damage to your furniture. Our furniture is made for domestic use.

Avoid putting hot items directly on the furniture surface, we recommend using heat resistant place mats & coasters to avoid the risk of damage to your items.

An outdoor furniture cover is recommended to guard against moisture and the elements. This will protect the finish & prolong the life of your furniture.

STEP BY STEP MAINTENANCE PROCESS (WOODEN PARTS)

Your Furniture has already been treated at the point of manufacturing. No treatment is necessary for at least 3 Months. Only when you start to see signs of weathering, it is time then to proceed to the following maintenance steps to get your furniture looking good again.

There is no immediate need to apply treatment to the wood upon purchase, as it has already been coated during the manufacturing process. However, as the wood begins to weather over time, it is recommended to lightly sand the surface and then apply a water-based oil preservative to maintain its

ASTRAL 120CM/150CM TERRAZZO ROUND TABLE WITH 4 LEG LUNA 120CM/150CM GREY ROUND TABLE WITH 4 LEG

ITEM CODE: AST-120T, AST-150T, LUN-120T, LUN-150T

appearance and protect it from the elements.

1. Clean the Surface: Start by cleaning the furniture to remove dust, dirt, or grease.

Use a damp cloth or mild soap solution, then wipe it dry with a clean cloth. Allow the surface to dry completely before proceeding.

2. Sand the Surface: Sand the wood lightly with 220-grit sandpaper to smooth out the surface and remove any old finish. This will also help the Wood Oil adhere better.

After sanding, wipe the furniture with a tack cloth to remove all dust and debris.

3. Apply the First Coat of Wood Oil:

- 1) Stir the Oil: We recommend using a clear water-based wood oil for the treatment of this furniture.
- 2) Apply the Oil: Using a small sponge, dab a thin, even coat of wood oil, working with the grain of the wood. Make sure to avoid drips or thick spots. If your product has rope material, do not apply any oil to this and wash it off immediately using luke-warm soapy water. If using a brush, apply in long, smooth strokes.
- 3) Let it Dry: Allow the first coat to dry according to the manufacturer's instructions. Typically, a water-based wood oil takes about 2 hours to dry.

4. Sand between Coats:

Once the first coat is dry, lightly sand the surface with 320-grit sandpaper. Sanding between coats helps to smooth out any imperfections or dust particles and provides a better surface for the next layer.

Wipe the surface with a tack cloth after sanding to remove all dust.

5. Apply Additional Coats:

Apply the Second Coat: Apply a second thin coat of wood oil using the same method as before.

Repeat Sanding: After the second coat dries, sand light with 320-grit sandpaper again and wipe clean with a tack cloth. If you want a more durable finish, you can apply additional coats (typically 3-4 coats total).

Tips:

Ventilation: Ensure you're working in a well-ventilated area.

Avoid over-brushing: Don't over-brush the oil as it can create bubbles or streaks. Apply a thin, smooth layer and let it level out on its own.

Drying Time: Let each coat fully dry before applying the next.

By following these steps. You will create a professional looking finish on your hardwood furniture that enhances its durability and beauty.

IMPORTANT, PLEASE RETAIN FOR FUTURE REFERENCE READ CAREFULLY

www.ro	/alcraf	ft.co.uk
--------	---------	----------

PAIR OF SOL CHAIRS INC SEAT CUSHION

ITEM CODE: SOL-01

Assembly Instructions



Product size: W60*D65*H84 CM





Furniture should be covered/stored whilst not in use to prolong its longevity.

(It should also be covered in adverse weather.)

This product is for domestic use only.

IMPORTANT, PLEASE RETAIN FOR FUTURE REFERENCE
READ CAREFULLY

www.royalcraft.co.uk

© A. Mir & Co., Ltd. 1 / 4

PAIR OF SOL CHAIRS INC SEAT CUSHION

ITEM CODE: SOL-01

Before you start



IMPORTANT, RETAIN FOR FUTURE REFERENCE **READ CAREFULLY**

See enclosed instructions for assembly, safety and care information.

Failure to follow the warnings could result in serious injury.

Handle heavy parts with care.

Ensure that this product is fully assembled as illustrated before use.

This product should only be used on firm, level ground.

The product contains small parts which could pose a risk to young children. Keep small parts out of reach of children.

Do not stand or climb onto this product.

This product is intended for domestic use only.

Ensure the product is always placed on level ground.

Furniture can be dangerous if incorrectly used. No liability will be accepted for damage or injury caused by incorrect use of this product.

Take care when opening and folding furniture. Keep your hands away from moving parts in order to prevent trapping your fingers. Children should not open or close the furniture.

This table is not intended to support a parasol separately. A parasol base with suitable weight must be used to support your parasol.



When you are ready to start, make sure that you have the right tools, plenty of space and a clean, dry area for assembly

Unwrap all packaging materials and place the components on suitable surface to prevent scratching your product.

Check the pack and make sure you have all of the parts listed. In the event of problems or missing parts, please contact the seller.

Check all screws and bolts are tightened and inspect regularly.

During severe weather conditions, including high winds, rain, hail, thunderstorms, extreme heat and cold temperatures, the product should be stored inside in a cool, dry place.

To best preserve this product, please use a protective cover when your furniture is not in use. We would also recommend using a gazebo or parasol over your furniture during the summer period and prolonged sunny spells. This will help prevent harmful UV rays from damaging and discolouring the material.

Timber is a natural product and contains coloured resins which may initially bleed out of the timber when its gets wet. Therefore we recommend that care is taken to protect patios and decking from possible staining where the product comes into contact with the ground. The furniture will stabilise in its environment after the first few times it gets wet.

Wood is a natural material whose appearance will deteriorate when left outside. A surface coating is vital in protecting it from premature darkening, or splitting, when exposed to the weather. The finish should be regularly maintained to ensure that the wood is protected from moisture and the furniture continues to look at its best.

This product has been treated with furniture oil during manufacture and the wood requires further treatment before being left out side. When applying furniture oil particular care should be given to the end grain and any joints or crevices, please note that is the products needs to be put together the first coat should be applied to all wood surfaces before assembly.

Should you choose not to treat your furniture, then it will turn a greyish colour and develop cracks. Light sanding can restore the original colour after which furniture oil can be regularly applied in accordance with the instructions above.

A liberal coating of furniture oil should be given to the furniture before it is laid up, and again when it is removed from storage.

Clean your product with a sponge and warm soapy water then wipe with a

Ensure that the product is clean and dry before storage

Where instructions as to the: storage, commissioning, installation, use and maintenance of the goods or (if there is none) good trade practice are not followed and a defect arises this will void the 12 month manufacturer's guarantee on the product.

🗶 Don'ts

Do not use scourers, abrasives, washing powders, chemical cleaners or any other substances containing abrasives since these substances can damage

To preserve the product do not place greasy / oily items directly onto the wooden surface

Do not place very hot or very cold items on the wooden surface unless adequately thick place-mats are used to prevent such items from coming into contact with the wood.

Do not strike the product with hard or pointed items.

Do not sit or lean on the arms of this product.

Do not use power tools to construct this product.

Do not tighten screws until fully assembled.

Do not overtighten screws or bolts.

Do not use this product if parts are missing, damaged or worn.

Do not place furniture near the outdoor exhaust vents.

Do not write on furniture without a padded barrier to protect the surface.

Do not stand or climb onto the product and do not use it as a ladder, as this could lead to it unbalancing and overturning

Never tilt the product during use.

Never drag furniture when moving it, always lift it.

The One-Seater product is intended for max use 120 kgs, 2-Seaer product is intended for max use 200 kgs, 3-Seater product is intended for max use 250 kgs, do not exceed this weight.

Number of people required for assembly

Two people



Time to assemble

30 Minutes

Tools required

(Not provided)

2 / 4

www.royalcraft.co.uk

© A. Mir & Co., Ltd.

PAIR OF SOL CHAIRS INC SEAT CUSHION

ITEM CODE: SOL-01

Components, fixtures & fittings (not actual size)

Parts List								
Part No.	Diagram	Qty.	Part No.	Diagram	Qty.			
Α	Seat	2 PCS	В	Front Lef Leg	2 PCS			
С	Front Right Leg	2 PCS	D	Rear Left Leg	2 PCS			
E	Rear Right Leg	2 PCS	F	Seat Cushion	2 PCS			
B25	Bolt M6*25mm	16 PCS	W	Washer	16 PCS			
ST25	Self-Taping Screw M4*25mm	8 PCS	AK	Allen Key	1 PC			



PAIR OF SOL CHAIRS INC SEAT CUSHION


ITEM CODE: SOL-01

Step by step assembly instructions

Step One

With the help of another person, attach the Front Left Leg (B), Front Right Leg (C), Rear Left Leg (D) and Rear Right Leg (E) to the Seat (A) using Washers(W), Bolts (B25) and Self-Taping Screws (ST25).


Tighten All Bolts and Screws reasonably. Do not over-tighten.



Step Two

Stand the Chair, level the Chair with Adjustable Feet Screws under the legs. Place the Seat Cushion (F) to the Seat.

Your Chair is now ready for use.



PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE

www.royalcraft.co.uk

© A. Mir & Co., Ltd. 4 / 4